

## MULTI SHADOW

- Trevira CS dimout fabric with a stable structure and an elegant, understated sheen
- Particularly suited to digital printing
- Standard 100 by Oeko-Tex® certified, free from harmful substances

### APPLICATIONS




### FABRIC PROPERTIES

|                                                                                     |                      |
|-------------------------------------------------------------------------------------|----------------------|
|    | Dimout               |
|    | Polyester Trevira CS |
|  | 170 g/m <sup>2</sup> |
|  | 0.35 mm              |
|                                                                                     |                      |


## Multi Shadow

### OPTICAL AND SOLAR COEFFICIENTS ( $\pm 5\%$ , DIN EN 410)


| Colour | $T_V$ | $T_S$ | $R_S$ | $A_S$ | $T_{UV}$ | $F_C$ | $g_{tot}$ |
|--------|-------|-------|-------|-------|----------|-------|-----------|
| 07     | 24.0  | 29.0  | 52.0  | 19.0  | 15.0     | 0.61  | 0.44      |
| 09     | 22.0  | 29.0  | 52.0  | 19.0  | 11.0     | 0.61  | 0.44      |
| 10     | 37.0  | 37.0  | 61.0  | 2.0   | 36.0     | 0.56  | 0.40      |
| 11     | 4.0   | 22.0  | 41.0  | 37.0  | 6.0      | 0.67  | 0.49      |
| 16     | 8.0   | 24.0  | 41.0  | 35.0  | 9.0      | 0.58  | 0.44      |
| 17     | 18.0  | 25.0  | 46.0  | 29.0  | 3.0      | 0.65  |           |

**Multi Shadow**

07



09



10



11



16



17

