



SG 4900



PRODUCT INFORMATION

- **Operation:** spring
- **Range:** S - M
- **Fitting:** ceiling, wall, recess
- **Colours:** white RAL 9016; special colours or anodised aluminum possible
- **Fabrics:** refer to Silent Gliss fabric collection

Features:


- Speed controller for controlled ascent
- Stop clutch mechanism to stop at any position
- Click-in brackets
- Installation profile
- End stop controller

SYSTEM SPECIFICATIONS


A. SYSTEM DIMENSIONS



2 m



30 cm




3 m



6 m²




2.2 kg




Recommended width /
height ratio
max. 1:3

B. PROFILE


Profile information



SG 4227
Tube ø 32 mm




SG 10872
Bottom bar



SG 10534
Installation profile

C. HOW TO MEASURE

incl. bracket covers



- A: System width
- B: System height
- C: Light gap left side: 15 mm
- D: Light gap right side: 15 mm

Note:
All measurements include 2 mm for bracket cover per side!
These can be omitted to reduce side light gaps.

D. SPECIFICATION TEXT


Silent Gliss SG 4900 Spring Operated Roller Blind System. Roller blind system for small to medium size blind applications up to 2.0m wide. Supplied made to measure and complete comprising anodised aluminium barrel SG 4227. Ceiling fix with brackets SG 10987 / SG 10989 / wall fix with brackets SG 10987 / SG 10990 / recess fix with brackets SG 10989 / SG 10991. Optional installation profile SG 10534. Available with optional stop controller SG 4377 to enable exact upper stop position of the blind (supplied as standard with fabric covered bottom bar). Assembled with powder coated white finish aluminium bottom weight bar SG 4221. Spring to be specified according to weight and characteristics of fabric. Fabric to be chosen from the Silent Gliss fabric range, Price Group 1R / 2R / 3R/4R.

FITTING


A. FITTING INFORMATION

Fixing points

For detailed fitting information, visit the Silent Gliss website.




B. CEILING FITTING



Brackets

Bracket SG 10989: window rolling side of fabric or
Bracket SG 10991: room rolling side of fabric


Bracket SG 10987



Installation profile SG 10534 and clamp SG 3044

Bracket SG 10989: window rolling side of fabric or
Bracket SG 10991: room rolling side of fabric


Bracket SG 10987




Installation profile SG 10534 and click bracket SG 10539

Bracket SG 10989: window rolling side of fabric or
Bracket SG 10991: room rolling side of fabric


Bracket SG 10987



SG 3044
Clamp




SG 10534
Installation profile




SG 10539
Bracket




SG 10574
Bracket cover




SG 10575
Bracket cover



SG 10987
Bracket




SG 10989
Bracket



SG 10991
Bracket


C. WALL FITTING



Brackets

Bracket SG 10990: window rolling side of fabric or
Bracket SG 10992: room rolling side of fabric


Bracket SG 10987



Installation profile SG 10534 and clamp SG 3044

Bracket SG 10990: window rolling side of fabric or
Bracket SG 10992: room rolling side of fabric





Bracket SG 10987



Installation profile SG 10534 and click bracket SG 10539

Bracket SG 10990: window rolling side of fabric or
Bracket SG 10992: room rolling side of fabric

Bracket SG 10987



SG 3044

Clamp

SG 10534





Installation profile

SG 10539

Bracket

SG 10574

Bracket cover



SG 10575

Bracket cover

SG 10987

Bracket


SG 10990

Bracket

SG 10992

Bracket


D. RECESS FITTING



Brackets

*Bracket SG 10989: window rolling side of fabric or
Bracket SG 10991: room rolling side of fabric*


Bracket SG 10987



Installation profile SG 10534 and clamp SG 3044

*Bracket SG 10989: window rolling side of fabric or
Bracket SG 10991: room rolling side of fabric*


Bracket SG 10987




Installation profile SG 10534 and click bracket SG 10539

*Bracket SG 10989: window rolling side of fabric or
Bracket SG 10991: room rolling side of fabric*


Bracket SG 10987




SG 3044
Clamp




SG 10534
Installation profile




SG 10539
Bracket




SG 10574
Bracket cover




SG 10575
Bracket cover



SG 10987
Bracket




SG 10989
Bracket



SG 10991
Bracket


SYSTEM OPTIONS

A. FABRIC ROLL-OFF




A: Fabric roll-off window side (standard)
B: Fabric roll-off room side (option)


B. INSTALLATION PROFILE



C. ADJUSTABLE END STOP




D. TWO SINGLE SYSTEMS SIDE-BY-SIDE



Additional parts:

- 1x SG 10632 Connection bracket cover














E. CHILD SAFETY PULL BALL SET

















Child safety pull ball set SG 10765







PARTS

A. STANDARD PARTS

	SG 4214 Spring C 552 mm
	SG 4226 Double tape 30 mm
	SG 4227 Tube ø 32 mm
	SG 4228 Speed controller right
	SG 4231 Tube adapter
	SG 10574 Bracket cover
	SG 10575 Bracket cover
	SG 10668 PVC strip 10 mm
	SG 10765 Child safety pull ball
	SG 10872 Bottom bar
	SG 10874 End cover
	SG 10987 Bracket
	SG 10989 Bracket

B. OPTIONAL PARTS

	SG 3044 Clamp
	SG 4211 Winder
	SG 4212 Spring A 365 mm
	SG 4213 Spring B 442 mm
	SG 4215 Spring D 612 mm
	SG 4216 Spring E 502 mm
	SG 4217 Spring F 612 mm
	SG 4218 Spring Y-2 198 mm
	SG 4377 End stop
	SG 10139 Countersunk screw 2.9x6.5
	SG 10498 Countersunk screw 2.9x9.5
	SG 10534 Installation profile
	SG 10539 Bracket
	SG 10632 Connection bracket cover

	SG 10690 Spacer
	SG 10707 End stop
	SG 10988 Bracket end stop
	SG 10990 Bracket
	SG 10991 Bracket
	SG 10992 Bracket

